	Application No.	Applicant(s)
Notice of Allowability	10/828,552	OKUWAKI ET AL.
	Examiner	Art Unit
	Alessandro V. Amari	2872
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>12/20/2005</u> .		
2. The allowed claim(s) is/are 1-4 and 6-9.		
3. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☑ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	. 6. Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 98), 7. ☐ Examiner's Amendn	e nent/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	

REASONS FOR ALLOWANCE

- 1. Claims 1-4 and 6-9 are allowed.
- 2. The following is an examiner's statement of reasons for allowance:

Claim 1 is allowable over the prior art for at least the reason that the prior art fails to teach or reasonably suggest, "wherein a size and a pitch of arrangement of at least one kind of prisms of the plurality of kinds of prisms are selected so that bright lines of translucent lights exiting the prisms are invisible, wherein said plurality of kinds of prisms comprises at least a first kind of prism and a second kind of prism, and the first and second kinds of prisms are arranged alternately with respect to each other" as set forth in the claimed combination. Claims 2-4, 8 and 10 are also allowable based upon their dependence on claim 1.

Claims 6 and 7 are allowable for the reasons provided in the previous office action. Claim 9 is also allowable based upon its dependence on claim 6.

The prior art of record teaches a sheet light emitting apparatus comprising a light guiding plate a light source and a prism structure, said prism structure including plural kinds of prisms having different apex angles. However, the prior art of record does not teach the size and a pitch of arrangement of at least one kind of prisms of the plurality of kinds of prisms are selected so that bright lines of translucent lights exiting the prisms are invisible, wherein said plurality of kinds of prisms comprises at least a first kind of prism and a second kind of prism, and the first and second kinds of prisms are arranged alternately with respect to each other or that the prism structure having the relation claimed and there is no motivation or teaching to modify this difference as derived.

,

Application/Control Number: 10/828,552 Page 3

Art Unit: 2872

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alessandro V. Amari whose telephone number is (571) 272-2306. The examiner can normally be reached on Monday-Friday 8:00 AM to 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Drew Dunn can be reached on (571) 272-2312. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

avaQ4/ 23 February 2006

Alessandro Amari

Examiner AU2872